

Timers / **Hard Wired Timers**

Timer Economy 7 With Boost 16A Mechanical



Technical Specification

Product Code	T109
Feature 1	Allows the use of off-peak electricity
Feature 2	15-120 minute boost facility with on indicator
Feature 3	96 ON and OFF settings per day
Feature 4	Easy to set
Ambient Temperature	20
Barcode	5012739626326
Battery Back Up	N
Boost	Adjustable between 15 & 120 Minutes
CE	Y
Class Type	II
Colour	White
Company DUNS Number	216156018
Connections	Wired
Cord Anchorage	Y

Country of Origin	China
Current (I)	R=16 L=2
Display	Mechanical
Finish body	Matt
Fixings supplied with product	N
Frequency (Hz) max	50
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	1
HS Code	9107000090
Ingress Protection (IP)	IP20
Installation method	Surface mount
Manual Override	Y
Manual Switch Type	2 pole
Materials Main Body	Polycarbonate
Maximum Load	16A for Immersion Heaters upto 3.5 kW
Min Order Qty	1
No of Channels	1
Operating Temperature Range max C	55
Operating Temperature Range min C	-10
Package Product Weight gross (g)	343
Pollution Degree	Normal
Product (only) Max. Depth (mm)	62.4
Product (only) Max. Height (mm)	86
Product (only) Max. Width (mm)	155.5
Product Weight net (g)	305
Sales Pack Qty	1
Settings	96 On & Off On/ Timed/off Switch Selector
Shortest Switching Time	15 mins
StatusCode	Active

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

Timer Switch Type	MICRO- DISCONNECTION LIVE POLE ONLY
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230
Feature 5	Tamper proof timer cover
Feature 6	1 Year Guarantee