

Timers / Mechanical Timers

Timer 24hr Mechanical Plug In



Technical Specification

Product Code	T73A
Feature 1	Creates the impression your home is occupied
Feature 2	Energy saving automatically switches off your appliance
Feature 3	Home security switches lights radios on and off when nobody is at home
Feature 4	Manual override facility
Ambient Temperature	20
Barcode	5012739628443
Battery Back Up	Y
Boost	N
CE	Y
Class Type	II

Colour	White
Company DUNS Number	216156018
Connections	Plug in with socket
Country of Origin	China
Current (I)	R=13 L=2
Display	Mechanical
Finish body	Matt
Fixings supplied with product	N
Frequency (Hz) max	50
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	1
HS Code	9107000090
Ingress Protection (IP)	IP20
Installation method	Plug in
Manual Override	Y
Materials Main Body	Polycarbonate
Maximum Load	13A (3kW) Resistive Load 2A Inductive Load
Min Order Qty	1
No of Channels	1
Operating Temperature Range max C	55
Operating Temperature Range min C	-10
Package Product Weight gross (g)	157.5
Pollution Degree	Normal
Product (only) Max. Depth (mm)	46
Product (only) Max. Height (mm)	131
Product (only) Max. Width (mm)	76
Product Weight net (g)	132.5
Sales Pack Qty	1
Settings	96 On/Off,On/Timed/Off Switch Selector
Shortest Switching Time	15 mins

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

StatusCode	Active
Timer Switch Type	MICRO- DISCONNECTION LIVE POLE ONLY
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230
Working Environment	Indoor use Only
Feature 5	Easy to set
Feature 6	1 Year Guarantee